




Aqualux MSRP Pricelist

January 2017

Prices in AUD & Exclude GST



Lumena

Base Code	Price		Description	Style
	X03	X12		
AQL-105	252.00	292.00	Spike Light - 12/24VAC - CREE LED - IP67	Spike Light
AQL-115	272.00	312.00	Spike Light Adjustable - 12/24VAC - CREE LED - IP67	Spike Light
AQL-130		350.00	Mini Pathway Bollard 'Gekko' - 300mm Spike Mount - 12/24VAC - CREE LED - IP67	Bollard
AQL-131		350.00	Mini Pathway Bollard 'Gekko' - 300mm Surface Mount - 12/24VAC - CREE LED - IP67	Bollard
AQL-132		438.00	High Power Fixed Uplight - 300mm Spike Mount - 24V DC - CREE XHP70 - 1500lms - IP67	Spike Uplight
AQL-135		410.00	Mini Pathway Bollard 'Gekko' - 600mm Spike Mount - 12/24VAC - CREE LED - IP67	Bollard
AQL-136		410.00	Mini Pathway Bollard 'Gekko' - 600mm Surface Mount - 12/24VAC - CREE LED - IP67	Bollard
AQL-155	200.00	240.00	Recessed Decklight - 12/24VAC - CREE LED - IP67	Recessed Light
AQL-165		310.00	Recessed Runway 2-way - 12/24VAC - CREE LED - IP67	Recessed Light
AQL-166		340.00	Recessed Runway 4-way - 12/24VAC - CREE LED - IP67	Recessed Light
AQL-175	170.00		Surface Mount Single Direction - 12/24VAC - CREE LED - IP67	Wall Light
AQL-195	106.00		Recessed Micro Decklight - 12/24VAC - CREE LED - IP67	Recessed Light
AQL-205	198.00	238.00	Surface Mount Wall Light Single Direction - 12/24VAC - CREE LED - IP67	Wall Light
AQL-215	318.00	358.00	Surface Mount Wall Light Single Direction Adjustable - 12/24VAC - CREE LED - IP67	Wall Light
AQL-220	360.00	400.00	Surface Mount Adjustable Spot Light	Wall Light
AQL-305	390.00	470.00	Surface Mount Wall Light Up/Down - 12/24VAC - CREE LED - IP67	Wall Light

Options		
AqualuxPLUS Enhanced Warranty	\$60	Increase warranty to 5 years and includes QuickConnect harness for easy installation / removal
Dimmable Driver (TRIAC)	\$40	Dimmable via Universal Dimmer module & AQO power supply. Load / Transformer must be matched as close as possible.
Assymmetric Lens	\$40	3 options available for AQL-155. Request assymmetric driver cutsheet for more details.
RGBW LED + Internal Driver	\$80	CREE RGBW module + custom 24V DC 4CH integral driver. External RGBW PWM control gear required. See AQD range.

Lumena Ordering Guidelines

Body Colour	Satin Chrome, Satin Black, Antique Bronze, Gunmetal Grey
LED Colour	Warm White, Cool White, Red, Green, Blue, Amber, RGBW
LED Power	X03 (Low Output) / X12 (High Output)
Optics	Narrow 10 / Medium 25 / Wide 40

For help with codes please visit our website.

There is a code generator on each product website page.

Common configurations are stocked, but most are built to order.

For availability phone 1300 662 644 or email sales@telectran.com.

For custom orders, please allow 7 days for manufacture + shipping.

	Lumen Output (lm) ¹	Wattage (W) ¹	Input Voltage ³	Notes
X01	50	1	11 ~ 28V AC / DC	For marker lights / minimal output applications
X03	300*	2.5	11 ~ 28V AC / DC	* Output level from November 2015
X06	400	3	11 ~ 28V AC / DC	-
X12	520*	4.5	11 ~ 28V AC / DC	* Output level from November 2015
D12	50 ~ 4002	4.5	24V AC / DC	Dimming circuits require special consideration.

1. Nominal values given for lumen output and wattages will vary based on the particular optical configuration (lens or diffuser choice), LED colour temperature and input voltage.

2. The maximum & minimum output of the dimmable driver will vary based on the exact dimmer selected & power source used. 0% dimming is not currently possible.

3. Check specific luminaire specification before completing system design.

Hydra

Hydra Range	Price	Description	Install Type / Notes
ASL-01-BR	116.00	Inground Hooded Spot IP65 Solid Brass 12VAC MR16 35W Max	Spike Light
ASL-01-BR-SM	150.00	ASL-01 Single Wall light / Surface Mount	Surface Mount
ASL-01-BR-SMT	284.00	ASL-01 Twin Wall light / Surface Mount / Twin Head	Surface Mount
ASL-01-BR-SMS38	230.00	ASL-01 Pathlight / Surface Mount / Single Head / 38CM	Surface Mount
ASL-01-BR-SMS60	262.00	ASL-01 Pathlight / Surface Mount / Single Head / 60CM	Surface Mount
ASL-01-BR-SMS38EL	252.00	ASL-01 Pathlight / Surface Mount / Single Head / 38CM / With Elbow Adapter	Surface Mount
ASL-01-BR-SMS60EL	284.00	ASL-01 Pathlight / Surface Mount / Single Head / 60CM / With Elbow Adapter	Surface Mount
ASL-01-BR-SPS38	220.00	ASL-01 Pathlight / Spike Mount / Single Head / 38CM	Spike Mount
ASL-01-BR-SPS60	252.00	ASL-01 Pathlight / Spike Mount / Single Head / 60CM	Spike Mount
ASL-01-BR-SPS38EL	242.00	ASL-01 Pathlight / Spike Mount / Single Head / 38CM / With Elbow Adapter	Spike Mount
ASL-01-BR-SPS60EL	274.00	ASL-01 Pathlight / Spike Mount / Single Head / 60CM / With Elbow Adapter	Spike Mount
ASL-01-BR-SMT60	378.00	ASL-01 Twin Pathlight / Surface Mount / Twin Head / 60CM	Surface Mount
ASL-01-BR-SPT60	368.00	ASL-01 Twin Pathlight / Spike Mount / Twin Head / 60CM	Spike Mount
ABL-01-BR-LED	298.00	Inground Hooded Bollard IP65 Aged Brass 12/24VAC 6W CREE LED	Spike Light
AWL-01-BR	80.00	Wallmount Hooded IP65 Solid Bronze 12VAC JC4 BIPIN Halogen 20W Max	Wall Mount
AWL-01-BR-LED	120.00	Wallmount Hooded IP65 Solid Bronze - INTEGRATED LED - 12 ~ 24V AC / DC - CREE XTE	Wall Mount
AWL-02-BR	80.00	Wallmount Hooded Slotted IP65 Solid Bronze 12VAC JC4 BIPIN Halogen 20W Max	Wall Mount
AWL-02-BR-LED	120.00	Wallmount Hooded Slotted IP65 Solid Bronze 12VAC JC4 BIPIN Halogen 20W Max	Wall Mount
AQP-BASE-HIGH-AB	25.00	Surface mount base for use with Stems + ASL-01-BR or ABL	Surface Mount
AQP-BASE-LOW-AB	25.00	Surface mount base for use with Stems + ASL-01-BR or ABL	Surface Mount
AQP-STEM-15-AB	50.00	15" / 38cm extension pole for ASL-01-BR or ABL	Extension
AQP-STEM-24-AB	60.00	40" / 61cm extension pole for ASL-01-BR or ABL	Extension

Phoenix

Base Code	Price			Description	Style
	GX5.3	X03 LED	X12 LED		
AQL-503-AB	176.00			Cast Brass Spike Light - AGED BRASS - GX5.3 Lampholder	Spike Spot
AQL-503-AB		278.00	318.00	12/24VAC - CREE LED	Spike Spot
AQL-503-BK	136.00			Cast Brass Spike Light - POWDER BLACK - GX5.3 Lampholder	Spike Spot
AQL-503-BK		234.00	274.00	12/24VAC - CREE LED	Spike Spot
AQL-503-BR	118.00			Cast Brass Spike Light - NATURAL BRASS - GX5.3 Lampholder	Spike Spot
AQL-503-BR		226.00	266.00	12/24VAC - CREE LED	Spike Spot
AQL-503-NP	198.00			Cast Brass Spike Light - NICKEL PLATED - GX5.3 Lampholder	Spike Spot
AQL-503-NP		298.00	338.00	12/24VAC - CREE LED	Spike Spot
AQP-STEM-300-BK/AB/NP	88.00			Black / Aged / Plated 300mm Brass Extension Pipe for AQL-503-BK/AB/NP	
AQP-STEM-600-BK/AB/NP	128.00			Black / Aged / Plated 600mm Brass Extension Pipe for AQL-503-BK/AB/NP	
AQP-STEM-300-BR	64.00			Natural Brass 300mm Brass Extension Pipe for AQL-503-BR	
AQP-STEM-600-BR	84.00			Natural Brass 600mm Brass Extension Pipe for AQL-503-BR	
		X06			
AQL-510-AB	240.00			Cast Brass Eyelid Light - AGED BRASS - 12/24VAC - CREE XBD - 200lm	Curved Step Light
AQL-510-BK	240.00			Cast Brass Eyelid Light - POWDER BLACK - 12/24VAC - CREE XBD - 200lm	Curved Step Light
AQL-510-BR	220.00			Cast Brass Eyelid Light - NATURAL BRASS - 12/24VAC - CREE XBD - 200lm	Curved Step Light
AQL-510-CP	260.00			Cast Brass Eyelid Light - BRUSHED COPPER - 12/24VAC - CREE XBD - 200lm	Curved Step Light
AQL-510-BC	260.00			Cast Brass Eyelid Light - BRUSHED CHROME - 12/24VAC - CREE XBD - 200lm	Curved Step Light
AQL-520-AB	240.00			Cast Brass Light - AGED BRASS - 12/24VAC - CREE XBD - 200lm	Mini Step Light
AQL-520-BK	240.00			Cast Brass Light - POWDER BLACK - 12/24VAC - CREE XBD - 200lm	Mini Step Light
AQL-520-BR	220.00			Cast Brass Light - NATURAL BRASS - 12/24VAC - CREE XBD - 200lm	Mini Step Light
AQL-520-CP	260.00			Cast Brass Light - BRUSHED COPPER - 12/24VAC - CREE XBD - 200lm	Mini Step Light
AQL-520-BC	260.00			Cast Brass Light - BRUSHED CHROME - 12/24VAC - CREE XBD - 200lm	Mini Step Light
		X03	X12		
AQL-530-AB	330.00	370.00		Cast Brass Recessed Light - AGED BRASS - 12/24VAC - CREE LED	Recessed Uplight
AQL-530-BK	330.00	370.00		Cast Brass Recessed Light - POWDER BLACK - 12/24VAC - CREE LED	Recessed Uplight
AQL-530-BR	290.00	330.00		Cast Brass Recessed Light - NATURAL BRASS - 12/24VAC - CREE LED	Recessed Uplight
AQL-530-BC	350.00	390.00		Cast Brass Recessed Light - BRUSHED CHROME - 12/24VAC - CREE LED	Recessed Uplight
AQL-530-CP	350.00	390.00		Cast Brass Recessed Light - BRUSHED COPPER - 12/24VAC - CREE LED	Recessed Uplight
AQL-540-AB	400.00	440.00		Cast Brass Pond Light - AGED BRASS - 12/24VAC - CREE LED	Spotlight
AQL-540-BK	400.00	440.00		Cast Brass Pond Light - POWDER BLACK - 12/24VAC - CREE LED	Spotlight
AQL-540-BR	340.00	380.00		Cast Brass Pond Light - NATURAL BRASS - 12/24VAC - CREE LED	Spotlight
AQL-540-BC	400.00	440.00		Cast Brass Pond Light - BRUSHED CHROME - 12/24VAC - CREE LED	Spotlight
AQL-540-CP	400.00	440.00		Cast Brass Pond Light - BRUSHED COPPER - 12/24VAC - CREE LED	Spotlight

Elements

Elements Range	Price	Description	Install Type / Notes
ABL-01-CP-LED	318.00	Inground Hooded Bollard IP65 Spun Copper 12/24VAC 6W CREE LED	Spike Light
ASL-04-SS	124.00	Surface Mount Pond Light IP68 Stainless Steel 304 12VAC MR16 Halogen 35W Max	Surface Mount
ASL-04-SS-316	174.00	Surface Mount Pond Light IP68 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Surface Mount
ASL-05-SS	80.00	Inground Spike Spotlight IP65 Stainless Steel 304 12VAC MR16 Halogen 35W Max	Spike Light
AUL-02-CP	164.00	Inground Spike Uplight IP65 Copper 12VAC MR16 Halogen 35W Max	Spike Light
AUL-02-SS	112.00	Inground Spike Uplight IP65 Stainless Steel 304 12VAC MR16 Halogen 35W Max	Spike Light
AUL-02-SS-316	164.00	Inground Spike Uplight IP65 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Spike Light
AUL-03-SS-316	108.00	Inground Uplight ROUND IP65 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Spike Light
AUL-04-SS-316	108.00	Inground Uplight SQUARE IP65 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Recessed
AUL-03-BR	156.00	Inground Uplight ROUND IP65 Natural Brass 12VAC MR16 Halogen 35W Max	Recessed
AUL-04-BR	156.00	Inground Uplight SQUARE IP65 Natural Brass 12VAC MR16 Halogen 35W Max	Recessed
AWL-01-SS-316	112.00	Wallmount Hooded IP65 Stainless Steel 316 12VAC JC4 BIPIN Halogen 20W Max	Wall Mount
AWL-01-SS-316-LED	152.00	Wallmount Hooded IP65 Stainless Steel 316 - INTEGRATED LED - 12 ~ 24V AC / DC - CREE XTE	Wall Mount
AWL-03-CP	206.00	Wall Mount Bi-Directional Light IP65 Copper 12VAC MR16 Halogen 35W+35W Max	Wall Mount
AWL-03-CP-240	206.00	Wall Mount Bi-Directional Light IP65 Copper 240VAC GU10 Halogen 35W35+W Max	Wall Mount
AWL-03-SS-316	206.00	Wall Mount Bi-Directional Light IP65 Stainless Steel 316 12VAC MR16 Halogen 35W+35W Max	Wall Mount
AWL-03-SS-316-240	206.00	Wall Mount Bi-Directional Light IP65 Stainless Steel 316 240VAC GU10 Halogen 35W Max	Wall Mount
AWL-05-CP	178.00	Wall Mount Flex-Head Spot Light IP65 Copper 12VAC MR16 Halogen 35W Max	Wall Mount
AWL-05-CP-240	178.00	Wall Mount Flex-Head Spot Light IP65 Copper 240VAC GU10 Halogen 35W Max	Wall Mount
AWL-05-SS-316	178.00	Wall Mount Flex Head Spot Light IP65 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Wall Mount
AWL-05-SS-316-240	178.00	Wall Mount Flex-Head Spot Light IP65 Stainless Steel 316 240VAC GU10 Halogen 35W Max	Wall Mount
AWL-06-CP	168.00	Wall Mount Spot Light IP65 Copper 12VAC MR16 Halogen 35W Max	Wall Mount
AWL-06-CP-240	168.00	Wall Mount Spot Light IP65 Copper 240V 240VAC GU10 Halogen 35W Max	Wall Mount
AWL-06-SS-316	168.00	Wall Mount Spot Light IP65 Stainless Steel 316 12VAC MR16 Halogen 35W Max	Wall Mount
AWL-06-SS-316-240	168.00	Wall Mount Spot Light IP65 Stainless Steel 316 240VAC GU10 Halogen 35W Max	Wall Mount

LED Flex

Strip Lighting - Prices / M			Notes
AQS-260-24-2700 / 3000 / 4000 / 5500K	69.00	LED Strip Lighting / IPX6 Parylene / 24V AC-DC / 1200LM / 12W / 3M Adhesive	Dimmable / Parylene-N Coated
AQS-500	140.00	LED Neon Flex / IP68 Encapsulated / 24V DC / 380LM / 12W	
AQS-100-AL-002-1M	28.00	Aluminium Strip to suit AQS-100 Series - 17mm Wide / 9mm High / 1000mm Long	
AQS-100-AL-002-2M	50.00		
AQS-SERVICE	10.00	Cut & Join 1M Tail for Strip Lighting. Cut-only to 100mm length is no-charge.	
Strip Lighting Control			
AQD-400-RGB-001	140.00	3CH RGB Controller / 12-24VDC / 32 Modes / Max 180W @ 12VDC - 360W @ 24VDC	
AQD-400-RGB-002	140.00	3CH RGB RF Remote Control / Works with AQD-400-RGB-001	
AQD-400-RGB-003	140.00	4CH RGBW Controller / 12-24VDC / 32 Modes / Max 180W @ 12VDC - 360W @ 24VDC	
AQD-400-RGB-004	140.00	4CH RGBW RF Remote Control / Works with AQD-400-RGB-003	
AQD-400-T3CV	140.00	3CH RF Controller / White or RGB	
AQD-400-T1	140.00	Dimming RF Remote / Works with AQD-400-T3CV / For 24VDC dimming of LED Strip etc.	
AQD-400-RGB-010	190.00	RGB Signal Repeater - For AQD-400-RGB-001 Driver	

Orion

Orion Architectural Lighting	Description
AQL-910-50W 2700K / 5000K	520.00 50W 24V DC Floodlight / 3000K / 5500K
AQL-910-100W 2700K / 5000K	800.00 100W 24V DC Floodlight / 3000K / 5500K
AQL-910-50W RGBW	520.00 50W RGBW / 24V DC Floodlight
AQL-910-100W RGBW	800.00 50W RGBW / 24V DC Floodlight
AQL-930	1400.00 100W Industrial Floodlight
AQL-935	990.00 50W Industrial Floodlight

LED Globes

LED Globes	Description
AGL-250-30X38z	22.00 12~24V AC/DC / MR16 GX5.3 / 4W / 35D / 3000K / 250lm
AGL-250-30X10	22.00 12~24V AC/DC / MR16 GX5.3 / 4W / 10D / 3000K / 250lm
AGL-250-57X38	22.00 12~24V AC/DC / MR16 GX5.3 / 4W / 38D / 5700K / 250lm
AGL-550-30X38	35.00 12~24V AC/DC / MR16 GX5.3 / 7W / 38D / 3000K / 550lm
AGL-250 Colour Series	35.00 12~24V AC/DC / MR16 GX5.3 / 4W / 38D / Red, Green, Blue, Amber
AGL-250-30G38	22.00 240VAC / GU10 / 4W / 35D / 3000K / 250lm
AGL-100-27J120	16.00 12V AC or 12~24V DC / JC-Type LED / 120lm / 2700K

Aquatran Power Supplies

SELV Power Supplies	Description
AQD24-030	70.00 30W / IP67 LED Driver / 24V DC / 240VAC Input
AQD24-060	110.00 60W / IP67 LED Driver / 24V DC / 240VAC Input
AQD24-100	150.00 100W / IP67 LED Driver / 24V DC / 240VAC Input
AQD-MW-HLG-060H	190.00 60W / 24VDC Meanwell Driver / 1-10V, PWM or Fixed Dimmable
AQD-MW-HLG-120H	266.00 120W / 24VDC Meanwell Driver / 1-10V, PWM or Fixed Dimmable
AQD-MW-HLG-150H	284.00 150W / 24VDC Meanwell Driver / 1-10V, PWM or Fixed Dimmable
AQD-MW-HLG-240H	370.00 240W / 24VDC Meanwell Driver / 1-10V, PWM or Fixed Dimmable
AQD-MW-HLG-320H	532.00 320W / 24VDC Meanwell Driver / 1-10V, PWM or Fixed Dimmable
AQO12-020	88.00 Aquatran AQO IP67 12VAC/24VAC 20VA + Thermal Protection
AQO12-050 / AQO24-050	92.00 Aquatran AQO IP67 12VAC/24VAC 50VA + Thermal Protection
AQO12-100 / AQO24-100	110.00 Aquatran AQO IP67 12VAC/24VAC 100VA + Thermal Protection
AQO12-200 / AQO24-200	146.00 Aquatran AQO IP67 12VAC/24VAC 200VA + Thermal Protection
AQO12-300 / AQO24-300	180.00 Aquatran AQO IP67 12VAC/24VAC 300VA + Thermal Protection
AQO12-400 / AQO24-400	202.00 Aquatran AQO IP67 12VAC/24VAC 400VA + Thermal Protection

Order & Shipping Information

- Please Email your order to sales@aqualux.com.au
- Orders under \$300 (ex. GST) will be charged small order handling & delivery at the rates below.
- Orders above \$300 (ex. GST) will be delivered free Australia-wide.
- We currently use two primary transport companies - Fastway & Startrack Express.
- When we ship your order, you will receive a shipment notification email with tracking numbers.
- All shipments are dispatched from Sydney, Australia.

Destination	Order Cutoff	Delivery	Orders under \$300 (ex. GST):
Sydney Metro - SAMEDAY	9AM	by 5PM	Handling & Freight 20.00
Sydney Metro	1PM	Next Day AM	
Illawarra Region	1PM	Next Day	
Melbourne Metro		Overnight	
VIC Regional		2 Days	
Brisbane Metro		Overnight	
QLD Regional		2 - 3 Days	
Adelaide Metro		2 Days	
SA Regional		2 - 3 Days	
Perth Metro	1PM	5 Days	
WA Regional		1 week	
Darwin Metro		1 week	
NT Regional		1 week	
Hobart Metro		1 week	
TAS Regional		1 week	

Shipping Note

Shipping leadtimes are not guaranteed.

Leadtime Information

Many Aqualux products are Made-to-Order whilst others are generally stocked at all times. Refer to the table below for general leadtime information, however if your order is urgent please give us a call.

Product Group	Stocking Group	Leadtime to Ship
Lumena	Made-to-Order	5 - 10 Days
Phoenix	Made-to-Order	5 - 10 Days
Artisan	Made-to-Order	14 - 21 Days
Elements	Stocked	Ex. Stock
Aquatran	Stocked	Ex. Stock
Accessories	Stocked	Ex. Stock
Strip Lighting	Stocked / Indent	Ex. Stock / 14 Days
Flood Lights	Stocked / Indent	Ex. Stock / 14 Days
Orion LED Lighting	Stocked / Indent	Ex. Stock / 14 Days

- Quantity breaks are available on lighting products.
- For project quantities, please enquire.

- Prices & Information are subject to change.
- Please call for latest information & availability.